

Bio Jet® Plus

BIO JET Plus is a biological aid designed to accelerate the degradation of FOG (fats, oils and grease), fatty acids, lignin and other organics in residential, commercial, municipal and industrial applications:

- Septic tanks and residential wastewater systems
- Commercial wastewater systems
- · Municipal and industrial wastewater systems
- Wastewater collection systems and holding tanks
- Lagoons and ponds
- Pump/Lift stations
- Sand filters/Mounds
- Grease traps

BIO JET products are manufactured in the United States.

BIO JET Plus:

- Is non-hazardous and non-toxic
- Prevents odors and system failures
- Digests FOG, fatty acids, lignin and other organics
- Lowers BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), ammonia and nitrates
- Aids in rapid start-ups
- Provides quicker recovery from shock loading
- Improves system operation
- Minimizes sewage backups and blockages
- Shelf Life: 2-3 years



A natural organic

12 strain solution of non-toxic bacteria
designed to enhance biological activity in
wastewater treatment systems.

Available in 1 gallon jugs, cases containing 6 - 1 gallon jugs and 55 gallon drums

Residential/Commercial/Municipal/Industrial System Suggested Dosage Rates:

System	Size	Dosage
Slow Drain	Drain Line	2 oz. on Day 1 then 6 oz. Day 2
Preventative Maintenance	Drain Line	2 oz. twice per week per drain line
Lift stations / Wet Wells / Wastewater Plants - Preventative Maintenance	1,500 - 25,000 GPD	4 - 10 oz. per day
	50,000 GPD	13 oz. per day
	100,000 GPD	25 oz. per day
	300,000 GPD	38 oz. per day
	500,000 GPD	50 oz. per day

*Additional dosage guidelines can be found on the product label.

Note: BIO JET 7 application rates may vary based on system design, constituents present in effluent waters, loading rates and system retention time.



Zinkan Enterprises, Inc.
1919 Case Parkway North, Twinsburg, Ohio 44087
Ph: 800-229-6801 • Web: www.Zinkan.com