

BOILER DESCALE 247 BOILER ON-LINE DESCALER





PRODUCT APPLICATION GUIDE

BOILER DESCALE 247 is applied to systems where moderate deposition can be removed with an in-service chelant cleanup program.

TYPICAL PROPERTIES

Read label before use.

Wash skin thoroughly after handling.

Wear protective gloves, protective clothing, eye protection, and face protection.

Product is stable, no hazardous polymerization will occur. Exposure to strong Oxidizers and Acids may cause exothermic reactions. Sulfur dioxide is liberated in presence of strong acids.

Thermal decomposition may produce: carbon oxides (COx), nitrogen oxides (NOx), sulfur oxides (SOx) and phosphorus oxides (POx).

Avoid contact with skin and eyes. Ensure there is adequate ventilation. Do not smoke. Wash hands before breaks and at end of workday. Do not breathe vapor or mist.

Keep container closed when not in use. Make sure there is adequate ventilation. Keep in cool dry place. Keep from freezing.

Use local exhaust if misting occurs. Natural ventilation is adequate in absence of mist.

PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid.

Color: Medium to dark brown.

Odor: Slight to moderate woody odor.

Hazard Classification Not hazardous pursuant to 29 CFR 1910.1200

 $\label{thm:linear_provider} \textbf{IF SWALLOWED: Contact a POISON CENTER} \ or \ health \ care \ provider \ if \ you \ feel \ unwell. \ \textbf{IF ON}$

SKIN: Wash with soap and water.

DISPOSAL CONDITIONS

- Waste from residues/Unused products: In accordance with federal, state and local regulations.
- Contaminated Packaging: Rinse empty containers with water and use the rinse water to prepare the working solution. Can be landfilled or incinerated, when in compliance with local regulations.

FIRST AID MEASURES

- Inhalation: Move to fresh air. If irritation persists, seek medical attention.
- Skin Contact: Wash off immediately with soap and plenty of water. Remove contaminated clothing immediately.
- Eye Contact: Rinse thoroughly with plenty of water for 15 minutes. In case of persistent eye irritation, consult a physician.
- Ingestion: Do not induce vomiting, if patient is alert, give 8-10 ounces of milk or water. Do Not Give Anything By Mouth To An Unconscious Person!